PALM INTRANET

Day: Monday Date: 2/26/2007

Time: 10:35:16

Inventor Information for 10/813109

Inventor Name	City	State/Country
CHO, OK-KYUNG	SCHWERTE	GERMANY
KIM, YOON-OK	SCHWERTE	GERMANY
UCHIDA, TSUYOSHI	TOKYO	JAPAN
MITSUMAKI, HIROSHI	TOKYO	JAPAN
Appln Info Contents Petition Info Search Another: Application#	- A second series	Continuity/Reexam Foreign
PCT // Attorney Docket #	Search or PG P	
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

US 20060232532 A1	US- PGPUB	20061019	Display device	345/87		Kawamura; Tetsuya et al.
US 20060177344 A1	US- PGPUB	20060810	Automatic analyzer	422/64	422/102	Ouchi; Katsumi et al.
US 20060110288 A1	US- PGPUB	20060525	Analyzer system having sample rack transfer line	422/63	422/64	Mimura; Tomonori et al.
US 20060098813 A1	US- PGPUB	20060511	Rotation supporting mechanism and portable terminal	379/433. 13	379/433.12	Takamori; Satoshi et al.
US 20060094941 A1	US- PGPUB	20060504	Optical measurement apparatus and blood sugar level measuring apparatus using the same	600/316	600/365; 600/549	Cho; Ok- Kyung et al.
US 20060084854 A1	US- PGPUB	20060420	Blood sugar level measuring apparatus	600/365	600/316; 600/326; 600/549	Cho; Ok- Kyung et al.
US 20060084853 A1	US- PGPUB	20060420	Blood sugar level measuring apparatus	600/365	600/323	Cho; Ok- Kyung et al.
US 20060079742 A1	US- PGPUB	20060413	Method and apparatus for measuring blood sugar levels	600/365	600/316; 600/326; 600/549	Cho; Ok- Kyung et al.
US 20060063990 A1	US- PGPUB	20060323	Blood sugar level measuring apparatus	600/316	600/365	Cho; Ok- Kyung et al.
US 20060015022 A1	US- PGPUB	20060119	Blood sugar level measuring apparatus	600/316	600/323	Cho; Ok- Kyung et al.
US 20060004268 A1	US- PGPUB	20060105	Blood sugar level measuring apparatus	600/315		Cho; Ok- Kyung et al.
US 20050251000 A1	US- PGPUB	20051110	Blood sugar level measuring apparatus	600/365	600/549	Cho, Ok- Kyung et al.
US 20050250999 A1	US- PGPUB	20051110	Blood sugar level measuring apparatus	600/365	600/309; 600/549	Cho, Ok- Kyung et al.
US 20050192492 A1	US- PGPUB	20050901	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok- Kyung et al.
US 20050192491 A1	US- PGPUB	20050901	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok- Kyung et al.
US 20050187442 A1	US- PGPUB	20050825	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok- Kyung et al.

US 20050182311 A1	US- PGPUB	20050818	Blood sugar level measuring apparatus	600/365	600/549	Cho, Ok- Kyung et al.
US 20050182310 A1	US- PGPUB	20050818	Blood sugar level measuring apparatus	600/316	600/365; 600/549	Cho, Ok- Kyung et al.
US 20050124868 A1	US- PGPUB	20050609	Blood sugar level measuring apparatus	600/309		Cho, Ok- Kyung et al.
US 20050080324 A1	US- PGPUB	20050414	Blood sugar level measuring method and apparatus	600/365	128/920; 600/323; 600/549	Cho, Ok- Kyung et al.
US 20050070777 A1	US- PGPUB	20050331	Blood sugar level measuring method and apparatus	600/365	600/326; 600/549	Cho, Ok- Kyung et al.
US 20050065415 A1	US- PGPUB	20050324	Optical measurement apparatus and blood sugar level measuring apparatus using the same	600/316	600/326	Cho, Ok- Kyung et al.
US 20050010094 A1	US- PGPUB	20050113	Blood sugar level measuring apparatus	600/365	600/323; 600/549	Cho, Ok- Kyung et al.
US 20040260165 A1	US- PGPUB	20041223	Blood sugar level measuring apparatus	600/365	600/324; 600/326; 600/483	Cho, Ok- Kyung et al.
US 20040225209 A1	US- PGPUB	20041111	Blood sugar level measuring apparatus	600/365	600/326; 600/549	Cho, Ok- Kyung et al.
US 20040223006 A1	US- PGPUB	20041111	Liquid crystal display device	345/690		Nakayama, Takanori et al.
US 20040170270 A1	US- PGPUB	20040902	Information input device and electronic device using the same	379/363		Takashima, Kouichiro et al.
US 20040141882 A1	US- PGPUB	20040722	Analyzer system having sample rack transfer line	422/63	422/64	Mimura, Tomonori et al.
US 20030231149 A1	US- PGPUB	20031218	Display device	345/76	i de la companya de l	Kawamura, Tetsuya et al.
US 20030215732 A1	US- PGPUB	20031120	Toner and image forming method	430/110.	430/110.1; 430/111.4; 430/124	Uchida, Tsuyoshi et al.
US 20030179555 A1	US- PGPUB	20030925	Rotary structure for relaying signals	361/755		Hemmi, Yoshinobu et al.
US 20020172161 A1	US- PGPUB	20021121	Reagent setup method and reagent setup processing equipment	370/252	370/254	Nishida, Masaharu et al.

US 20020110488 A1	US- PGPUB	20020815	Chemical analyzer and chemical analyzing system	422/63	422/100	Miyake, Ryo et al.
US 20020107642 A1	US- PGPUB	20020808	Method and apparatus for managing consumer goods used in an analyzer	702/23		Nishida, Masaharu et al.
US 20020106815 A1	US- PGPUB	20020808	Reagent setup method and reagent setup processing equipment	436/183	422/63; 422/67; 422/99; 436/43; 702/23	Nishida, Masaharu et al.
US 20020037469 A1	US- PGPUB	20020328	Toner for developing electrostatic image and image forming method	430/110. 3	430/109.4; 430/110.4	Kohyama, Mikio et al.
US · 20020037468 A1	US- PGPUB	20020328	Toner and image forming method	430/110.	430/108.4; 430/111.4	Matsushima, Asao et al.
US 20020012614 A1	US- PGPUB	20020131	LIQUID FEED APPARATUS AND AUTOMATIC ANALYZING APPARATUS	422/103	417/413.2; 417/413.3; 436/180	KOIDE, AKIRA et al.
US 20010026899 A1	US- PGPUB	20011004	Electrostatically charged image developing toner, production method of the same, and an image forming method	430/108.	430/108.1; 430/111.4; 430/137.14; 430/137.17	Uchida, Masafumi et al.
US 7156810 B2	USPAT	20070102	Blood sugar level measuring method and apparatus	600/365	-	Cho; Ok- Kyung et al.
US 7120478 B2	USPAT	20061010	Blood sugar level measuring apparatus	600/316		Cho; Ok- Kyung et al.
US 7064734 B2	USPAT	20060620	Display device	345/80	345/76; 345/904	Kawamura; Tetsuya et al.
US 7018765 B2	USPAT	20060328	Toner particle having a hardnes of 6.0 to 24.0 mN and a circularity of 0.92 to 0.99	430/110.	430/109.3; 430/110.1; 430/124	Uchida; Tsuyoshi et al.
US 7011792 B2	USPAT	20060314	Analyzer system having sample rack transfer line	422/67	422/63; 422/64; 422/65; 436/43; 436/47; 436/48; 436/49; 436/50	Mimura; Tomonori et al.
US 6954661 B2	USPAT	20051011	Blood sugar level measuring apparatus	600/316	600/322; 600/326	Cho; Ok- Kyung et al.
US 6852282 B2	USPAT	20050208	Chemical analyzer and chemical analyzing system	422/63	422/101; 422/104; 422/64; 422/67; 422/70; 422/81; 436/180	Miyake; Ryo et al.
US 6827902 B1	USPAT	20041207	Biochemical analyzer	422/65	422/63; 422/99; 436/46; 436/47; 436/48	Kuriyama; Hiroyuki et al.
US D496732 S	USPAT	20040928	Blood sugar level measuring apparatus	D24/169		Nagai; Gen et al.

US 6733728 B1	USPAT	20040511	Analyzer system having sample rack transfer line	422/65	422/67	Mimura; Tomonori et al.
US 6650547 B2	USPAT	20031118	Rotary structure for relaying signals	361/755	248/917; 248/919; 361/730; 361/752; 361/797; 439/164; 439/165; 439/31	Hemmi; Yoshinobu et al.
US 6602644 B2	USPAT	20030805	Toner and image forming method	430/108. 4	430/110.1; 430/111.4; 430/137.11; 430/137.14	Matsushima; Asao et al.
US 6599749 B1	USPAT	20030729	Method of conveying sample rack and automated analyzer in which sample rack is conveyed	436/47	422/65; 422/67; 436/48	Kodama; Ryuichiro et al.
US 6599477 B1	USPAT	20030729	Chemical analysis apparatus	422/64	414/416.05; 422/100; 422/103; 422/104; 422/63; 422/67; 436/180; 436/43; 436/47; 436/49; 436/54	Miyake; Ryo et al.
US 6500388 B1	USPAT	20021231	Automatically analyzing apparatus	422/64	134/169R; 134/21; 134/22.11; 134/24; 134/26; 134/27; 422/100; 422/63; 436/179; 436/180; 436/47; 436/49	Nagaoka; Yoshihiro et al.
US 6475685 B2	USPAT	20021105	Electrostatically charged image developing toner, production method of the same, and an image forming method	430/99	430/108.4; 430/109.4; 430/111.4	Uchida; Masafumi et al.
US 6472117 B2	USPAT	20021029	Toner for developing electrostatic image and image forming method	430/110.	430/109.4; 430/111.4	Kohyama; Mikio et al.
US 6444171 B1	USPAT	20020903	Sample processing system	422/65	422/67; 436/47; 436/48	Sakazume; Taku et al.
US 6395442 B1	USPAT	20020528	Toner and production method of the same	430/109. 4	430/109.5; 430/137.16	Hayashi; Kenji et al.
US 6383452	USPAT	20020507	Chemical analyzer and	422/63	422/101;	Miyake; Ryo

Bl	La, e,		chemical analyzing system		422/104; 422/64; 422/67; 422/70; 422/81; 436/180	et al.
US 6283730 B1	USPAT	20010904	Micro pump and method of producing the same	417/413.		Sasaki; Yasuhiko et al.
US 6261521 B1	USPAT	20010717	Sample analysis system and a method for operating the same	422/67	422/63; 422/65; 436/43; 436/47; 436/48; 436/50; 700/266	Mimura; Tomonori et al.
US 6197255 B1	USPAT	20010306	Chemical analyzing apparatus	422/64	134/21; 134/22.11; 134/24; 134/26; 134/37; 422/100; 422/103; 422/63; 422/67; 436/180; 436/43; 436/47; 436/49; 436/54	Miyake; Ryo et al.
US 6193933 B1	USPAT	20010227	Automatic analysis apparatus	422/64	422/100; 422/102; 422/104; 422/63; 436/180; 436/43; 436/45; 436/47; 436/49; 436/54	Sasaki; Yasuhiko et al.
US 6187497 B1	USPAT	20010213	Eletrophotographic toner and image forming method	430/110. 4	430/120	Kushi; Sayuri et al.
US 6117683 A	USPAT	20000912	Method of conveying sample rack and automated analyzer in which sample rack is conveyed	436/47	422/65; 422/67; 436/48	Kodama; Ryuichiro et al.
US 6117392 A	USPAT	20000912	Automatic analyzing apparatus	422/65	422/67; 436/47; 436/48; 436/50	Hanawa; Masaaki et al.
US 6080364 A	USPAT	20000627	Automatic analyzer and support system therefor	422/67	422/63; 422/65; 436/43; 436/47; 436/50	Mimura; Tomonori et al.
US 6019945 A	USPAT	20000201	Sample analysis system	422/65	422/63; 436/43; 436/47; 436/48	Ohishi; Tadashi et al.
US 5985215 A	USPAT	19991116	Analyzing apparatus having a function pipette samples	422/67	422/100; 422/105; 422/108; 422/63; 422/65; 422/81; 436/43; 436/47; 436/48; 436/49; 436/50;	Sakazume; Taku et al.

**

,					436/54; 73/864.23;	
			1	'	73/864.24	
US 5972295	USPAT	19991026	Automatic analyzing	422/65	422/63; 422/67;	Hanawa;
A	001111	17771020	apparatus	422/03	436/43; 436/47;	Masaaki et al.
T.		ļ	apparatus	'	436/48; 436/50	Iviasaaki Ct ai.
US 5924996	USPAT	19990720	Process and device for	600/549	600/365	Cho; Ok
A	001711	17770120	detecting the exchange of heat	k I	000/303	Kyung et al.
A			between the human body and	!		Tryung or an.
			the invented device and its	1		
			correlation to the glucose	'		
			concentration in human blood	. !		
US 5902549	USPAT	19990511	Analyzer system having	422/65	422/63; 422/64;	Mimura;
OS 3902349 A	USLAI	17770211	sample rack transfer line	422/03.	422/63; 422/64; 422/67; 436/47;	Tomonori et
A			sample tack transfer fine		436/48; 436/50	al.
110 0407026	USPAT	10000406	Bassant hattle	D24/224	430/48, 430/30	
US D407826	OSPAI	19990406	Reagent bottle	D24/224		Yamazaki;
S 110 D40(251	TIODAT	10000202	D	DO4/004	D0/502	Hajime et al.
US D406351	USPAT	19990302	Reagent bottle	D24/224	D9/523	Yamazaki;
S 110,507(670	TTODATE	10000000	2 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	100/65	100/67	Hajime et al.
US 5876670	USPAT	19990302	Multi-item analyzer having	422/65	422/67;	Mitsumaki;
A			plurality of analyzing	'	422/82.01;	Hiroshi et al.
772 72 40 40 21	TIODATE	10000106	modules	7001	436/48	
US D404831	USPAT	19990126	Reagent bottle holder for a	D24/224		Yamazaki;
S	7.70D A 7E	10001117	reagent disc	120/100	100/111	Hajime et al.
US 5837415	USPAT	19981117	Electrophotographic toner	430/109.	430/111.4;	Uchida;
A		: 5301005		3	430/124	Tsuyoshi
US 5827479	USPAT	19981027	Apparatus for analyzing a	422/67	422/104;	Yamazaki;
A			plurality of analysis items		422/63; 422/64;	Hajime et al.
					436/43; 436/50	'
US D399964	USPAT	19981020	Biochemical analysis machine	D24/186	D24/231;	Katayama;
S					D24/232	Atsushi et al.
US 5795305	USPAT	19980818	Process and device for non-	600/549	600/316	Cho; Ok-
A			invasive determination of			Kyung et al.
			glucose concentration in parts			
			of the human body			1
US 5738964	USPAT	19980414	Electrophotographic toner	430/109.	430/111.4	Uchida;
A			with specific high, medium,	3	.	Tsuyoshi et al
			and low molecullar weight			
			peaks			
US 5736100	USPAT	19980407	Chemical analyzer non-	422/64	366/127;	Miyake; Ryo
A			invasive stirrer	·	422/63;	et al.
					436/174;	
				<u></u> _	436/43; 436/47	
US 5707772	USPAT	19980113	Toner for electrophotography	430/108.		Akimoto;
A				8		Kunio et al.
US 5694930	USPAT	19971209	Device for qualitative and/or	600/310	356/136	Pries; Ralf H.
Α			quantative analysis of a			et al.
			sample			
	USPAT	19971021	Modified semiconductor laser	372/34	372/36	Kim; Yoon-

Α '			diode having an integrated temperature control element			Ok et al.
US 5677188 A	USPAT	19971014	Analyzing method and apparatus for liquid sample	436/47	422/64; 422/67; 422/68.1; 422/82.05; 436/43; 436/55; 702/25	Mitsumaki; Hiroshi et al.
US 5670114 A	USPAT	19970923	Apparatus of handling reagent for suppressing decrease in effect of reagent	422/67	422/100; 422/101; 422/104; 422/63; 422/64; 436/175; 436/43; 436/47; 436/50; 436/55	Sakazume; Taku et al.
US 5637433	USPAT	19970610	Toner for developing an electrostatic latent image	430/109.		Uchida;
US 5434083 A	USPAT	19950718	Method and apparatus for automatically analyzing a plurality of test items	436/48	422/64; 422/67; 436/50	Tsuyoshi et al. Mitsumaki; Hiroshi et al.
US 5320966 A	USPAT	19940614	Method for analyzing samples and automatic processor therefor	436/47	422/116; 422/63; 422/64; 422/68.1; 436/50; 436/55	Mitsumaki; Hiroshi et al.
US 5288374 A	USPAT	19940222	Method and apparatus for electrochemical analysis and an aqueous solution for use therein	205/779	204/409; 204/412; 204/415; 205/781.5; 205/788.5; 205/789	Watanabe; Miyoko et al.
US D340770 S	USPAT	19931026	Operation station machine for a biochemical analysis	D24/186	D24/185; D24/232	Ohnuma; Mitsuru et al.
US D339639 S	USPAT	19930921	Biochemical analyzer	D24/232	D24/186; D24/231	Ohnuma; Mitsuru et al.
US 5147610 A	USPAT	19920915	Automatic analyzing apparatus	422/64	134/155; 134/166R; 422/62; 422/63; 422/65	Watanabe; Miyoko et al.
US 5104807 A	USPAT	19920414	Analyzing apparatus in which liquid can be stirred and analyzing method thereof	436/47	366/218; 422/63; 422/64; 422/65; 422/67; 494/19	Mitsumaki; Hiroshi et al.
US 4867976 A	USPAT	19890919	H.I.V. treatment utilizing specific inhibitation of protein syntheses in a cell	424/450	514/2; 514/21; 514/885; 530/350; 530/825; 530/826; 530/827; 530/828; 530/829;	Ueda; Shigeharu et al.

, , ,					530/830	
US 4696183	USPAT	19870929	Method and apparatus of flow	205/778.	204/400;	Mitsumaki;
A			analysis	5	204/402;	Hiroshi et al.
					204/409;	
				*	205/780.5;	
					205/781.5;	
!					205/782;	
1					73/19.1;	
					73/863.01;	
					73/864.85	
US 4680270	USPAT	19870714	Method and apparatus for	205/778	204/403.06;	Mitsumaki;
A			conducting flow analysis		204/403.1;	Hiroshi et al.
			·		204/409;	
					205/779;	
					205/781.5;	
					422/103;	
					422/81;	
					436/151;	
					436/52; 436/74;	
					436/79	

•

.